

Work Order ID 151012***151012***

Page 1

Monday, September 12, 2016 9:02:15 AM

Item ID: D2574 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, Aft, In
Start Date: 9/21/2016 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 10/3/2016 Req'd Qty: 12.00 ***12*** Customer:
Reference:

Approvals: Process Plan: DAS 21 Date: SEP 13 2016 Tooling: _____ Date: _____ Run Start ***NR1***
QC: 9-89 Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2574	F								

100

100

HAAS 1

HAAS CNC vertical machine #1

HAAS CNC VERTICAL MACHINING #1

0.02

MemoProgram Batch No. 151012Double check by: gmk

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets

2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and insp

0.74

12ØDAS
44
9-8916-10-18DAS
14
9-8916/10/20

110

110

Mill Conv

Conventional Milling Machine

CONVENTIONAL MILLING MACHINE

0.00

Memo

Machine keyway as per dwg D2573 & D2574

0.06

12ØDAS
44
9-8916-10-18DAS
14
9-8916/10/20

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By
					Lead hand / Supervisor Approval Verification
					QC / QA Coordinator Approval
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 151012

Monday, September 12, 2016 9:02:15 AM

151012

Page 2

Item ID: D2574

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle, Aft, In

Start Date: 9/21/2016 Start Qty: 12.00

12

Cust Item ID:

Required Date: 10/3/2016 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Memo

0.02

Quality Control

12

Ø

DAS
44
9-89 16-10-18
DAS
14
9-89 16/10/20

130

QC8- Inspect parts - second check

0.00

130

QC

Memo

0.04

Quality Control

12

Ø

DAS
20
9-89 16-10-23

140

Chemical Conversion Coat per QSI005 4.1

0.00

140

HandFinish

Memo

0.06

Hand Finishing

(X12)

Ø

2016/10/24
BEB

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____			
Misidentified ☐	☐	Past Due ☐	☐				

Work Order ID 151012

Monday, September 12, 2016 9:02:15 AM

151012

Page 3

Item ID: D2574 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, Aft, In
Start Date: 9/21/2016 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 10/3/2016 Req'd Qty: 12.00 ***12*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 *150* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per OSI005 4.3-Alum <i>M 134798</i> Memo START TIME: <i>11:50</i> OVEN TEMPERATURE: <i>320°</i> FINISH TIME: <i>12:20</i>	0.00 0.04				<i>12</i>	<i>16-10-26</i>	<i>DAS 34 9-89</i>	
160 *160* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.02				<i>(12)</i>		<i>DAS 38 9-89</i>	<i>OCT 26 2016</i>
170 *170* Packaging Packaging	Identify as per dwg & Stock Location: <i>ST398</i> Memo	0.00 0.02				<i>DX.</i>	<i>DAS 28 9-89</i>		<i>OCT 27 2016</i>

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 151012***151012***

Page 4

Monday, September 12, 2016 9:02:15 AM

Item ID: D2574

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Saddle, Aft, In

Stop

NS2

Start Date: 9/21/2016 Start Qty: 12.00

12

Cust Item ID:

Required Date: 10/3/2016 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.20

DAS

21

9-89

OCT 27 2016

Quality Control

DAS

21

9-89

OCT 27 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____ _____ _____			
Misidentified ☐	☐	Past Due ☐	☐				

Picklist Print

Monday, September 12, 2016 9:02:14 AM

Work Order ID: 151012

151012

Parent Item: D2574

D2574

Parent Item Name: Saddle, Aft, In

Start Date: 9/21/2016

Required Date: 10/3/2016

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP Rev: I As Per RevE 06-01-27 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-005 *D6101-005* Saddle Billet		Manufactured	No			110	Each	43.0000	1	12		DAS 20 9-89	16-10-13
									**	12			

Location

Loc Qty

Loc Code

MAT040

23

147755

3

149947

20

MAT041

20

149199

20

151 301

12

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : _____					

DART AEROSPACE LTD	Work Order: 151012
Description: Saddle, Aft Inboard	Part Number: D2574
Inspection Dwg: D2574 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.438	0.443		.438	.438	.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.002	8.002	8.000	8.000		
F	0.490	0.510		.500	.500	.504	.500		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.375	.375	.375	.375		
I	0.490	0.510		.501	.502	.500	.502		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.568	.569	.568	.569		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.122	4.124	4.124	4.124		
P	0.115	0.135		.135	.135	.135	.135		
Q	0.115	0.135		.124	.124	.124	.124		
R	0.240	0.260		.251	.252	.250	.252		
S	0.115	0.135		.124	.124	.125	.125		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.240	.240	.239	.238		
W	0.115	0.135		.122	.122	.125	.123		
X	0.307	0.312		.311	.311	.312	.312		
Y	0.760	0.765		.760	.760	.763	.763		
Z	0.352	0.372		.362	.364	.364	.362		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.625	.625	.624	.624		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.250	.250	.249	.250		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		.135	.135	.135	.135		
AG	0.240	0.280		.260	.260	.260	.260		
AH	0.240	0.260		.248	.247	.249	.248		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject				DAS			DAS		

Measured by:	44 9-89 F.K.	14 9-89 J.K.
Date:	16-10-18	16/10/20

Audited by:	20 9-89 16-10-23
Date:	

Rev	Date	Change	Revised by	Approved
B	02.09.27	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

43284

DART AEROSPACE LTD	Work Order: 151012
Description: Saddle, Aft Inboard	Part Number: D2574
Inspection Dwg: D2574 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				15	16	17	18		
A	0.438	0.443		.438	.438	.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.002	8.002	8.002		
F	0.490	0.510		.500	.500	.500	.500		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.376	.376	.376	.376		
I	0.490	0.510		.500	.500	.500	.499		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.569	.568	.568	.567		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.135	.135	.135	.135		
Q	0.115	0.135		.124	.124	.124	.124		
R	0.240	0.260		.252	.252	.252	.253		
S	0.115	0.135		.125	.122	.126	.124		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.236	.239	.234	.238		
W	0.115	0.135		.121	.121	.124	.123		
X	0.307	0.312		.312	.312	.312	.312		
Y	0.760	0.765		.762	.763	.763	.763		
Z	0.352	0.372		.362	.363	.363	.363		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.624	.624	.623	.623		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.248	.249	.248	.249		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		.135	.135	.135	.135		
AG	0.240	0.280		.270	.260	.260	.260		
AH	0.240	0.260		.246	.246	.246	.246		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject									

Measured by:	14-09-20
Date:	16/10/20

Audited by:	20-09-20
Date:	16-10-23

Rev	Date	Change	Revised by	Approved
B	02.09.27	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	


DART AEROSPACE LTD	Work Order:	151012
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	19	210	211	412		
A	0.438	0.443		.438					
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.002	8.002	8.002		
F	0.490	0.510		.500	.500	.500	.500		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.376	.376	.376	.376		
I	0.490	0.510		.500	.500	.500	.498		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.568	.568	.568	.566		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.135	.135	.135	.135		
Q	0.115	0.135		.124	.124	.124	.124		
R	0.240	0.260		.253	.253	.253	.252		
S	0.115	0.135		.126	.126	.124	.124		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.238	.237	.236	.240		
W	0.115	0.135		.122	.122	.122	.122		
X	0.307	0.312		.312	.311	.311	.311		
Y	0.760	0.765		.762	.761	.761	.761		
Z	0.352	0.372		.363	.363	.363	.363		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.625	.625	.625	.625		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.249	.248	.246	.250		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		.135	.135	.135	.135		
AG	0.240	0.280		.260	.260	.260	.260		
AH	0.240	0.260		.246	.246	.247	.248		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject				✓	✓	✓	✓		

Measured by: ¹⁹ <i>guf</i>	Audited by: ^{DAS} <i>20</i>
Date: ⁹⁻⁸⁹ <i>16/10/21</i>	Date: ⁹⁻⁸⁹ <i>16-10-23</i>

Rev	Date	Change	Revised by	Approved
B	02.09.27	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	



RELEASED
2013-01-07